



Eureka®

Woodheating



Designed for living, made for life.

SEE EUREKA WOOD HEATERS
IN YOUR HOME. SCAN THE
QR CODE ON YOUR DEVICE

View Pearl and Ruby
Freestanding in your home.



PROUDLY MANUFACTURED
& DESIGNED IN AUSTRALIA



Iconic woodheaters for a contemporary world

Immerse yourself in the dynamic range of Eureka woodheaters. Proudly crafted over four generations in country Victoria.

Freestanding Woodheaters

| | |
|------------------|----|
| Discovery Series | 6 |
| Radiant Series | 9 |
| Selection Series | 12 |

Insert Woodheaters

| | |
|------------------|----|
| Discovery Series | 14 |
| Selection Series | 16 |

Double Sided Range

| | |
|-------------------------------|----|
| Double Sided Range | 20 |
| Zero Clearance Installation | 22 |
| Elevated Insert Installations | 22 |
| Specifications | 23 |



PROUDLY MANUFACTURED
& DESIGNED IN AUSTRALIA



*Quality
Guarantee*

All of our heaters are built to last.
That's why we guarantee all of
our fireboxes to last 10 years.





SEE EUREKA WOOD HEATERS
IN YOUR HOME. SCAN THE QR
CODE ON YOUR DEVICE



Look for this icon throughout
the brochure to view our
woodheaters in your room.



Freestanding Discovery Series

With clever design features and Eureka's pre-heated primary air technology, the freestanding Discovery Series is certain to impress. Loading firewood has never been easier, with the flat-window models encompassing a tall ergonomic pedestal. Should you simply wish to be absorbed by the flickering flames, the elegant bay window models will provide a stunning view.



Nugget

The Eureka Nugget is known all around Australia for its functionality and hardworking nature. This tough as nails radiant style unit has an exceptionally deep firebox, allowing you to fit logs that similar sized units would be envious of. The Nugget also incorporates a radiant cook top for your pots and pans, as well as a raised shelf for simmering. The Eureka Nugget truly is a tireless contributor to any Aussie home.

- ⊕ Boil & simmer on top or back shelf
- ⊕ Firebrick lined
- ⊕ Extra deep firebox for easy loading
- ⊕ 10 Year firebox warranty
- ⊕ Tall pedestal for easy loading



Capacity
180m²



Log Width
485mm



Flue Size
150mm

Efficiency
69%†

Emissions
1.1g/kg




Output
16kW‡








Onyx 300

- ⊕ 3-Speed fan
- ⊕ Firebrick lined
- ⊕ 8mm steel baffle plate
- ⊕ Dual pre-heated primary air
- ⊕ Cool-touch casing
- ⊕ 10 Year firebox warranty

| | | |
|---|---|---|
|  |  |  |
| Capacity 300m ² | Log Width 630mm | Flue Size 150mm |
| Efficiency 65%† | Emissions 1.3g/kg | Output 17kW‡ |




Solitaire 350

| | | |
|---|---|---|
|  |  |  |
| Capacity 350m ² | Log Width 630mm | Flue Size 175mm |
| Efficiency 66%† | Emissions 0.9g/kg | Output 20kW‡ |






Opal 180




- ⊕ 3-Speed fan
- ⊕ Firebrick lined
- ⊕ 8mm steel baffle plate
- ⊕ Tall pedestal for easy loading
- ⊕ 10 Year firebox warranty

| | | |
|---|---|---|
|  |  |  |
| Capacity 180m ² | Log Width 490mm | Flue Size 150mm |
| Efficiency 69%† | Emissions 0.9g/kg | Output 14kW‡ |

Miner 260

| | | |
|---|---|---|
|  |  |  |
| Capacity 260m ² | Log Width 545mm | Flue Size 150mm |
| Efficiency 72%† | Emissions 1.4g/kg | Output 21kW‡ |

Garnet 320

| | | |
|---|---|---|
|  |  |  |
| Capacity 320m ² | Log Width 620mm | Flue Size 175mm |
| Efficiency 65%† | Emissions 1.3g/kg | Output 24kW‡ |

Freestanding Woodheaters



Freestanding Radiant Series

Sure to become a design icon — the sleek and modern Eureka Radiant series provides all the benefits of radiant style wood heating. Perfect for homes with poor insulation or high ceilings, radiant heaters emit heat directly through the outer surface of the firebox, rapidly warming your space.



- ⊕ Firebrick lined
- ⊕ Dual baffle system featuring 8mm primary baffle
- ⊕ "Boost Air" inlet for easier ignition
- ⊕ Heavy duty cast iron door
- ⊕ 10 Year firebox warranty

Jade 160

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 160m ² | Log Width 480mm | Flue Size 150mm |
| Efficiency 70%† | Emissions 1.3g/kg | Output 9kW‡ |

Amber 240

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 240m ² | Log Width 535mm | Flue Size 150mm |
| Efficiency 68%† | Emissions 0.9g/kg | Output 12kW‡ |

Jasper 320

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 320m ² | Log Width 570mm | Flue Size 150mm |
| Efficiency 66%† | Emissions 1.0g/kg | Output 14kW‡ |



Step into the
warmth of a Eureka



Freestanding **Selection Series**

Why compromise between classic and modern style! The Selection Series range is perfect for those looking to invest in a striking centre piece for their home, guaranteeing dependable heat for many winters to come.





- ⊕ Sleek & modern design
- ⊕ 3-Speed fan with thermostatic switch
- ⊕ Cast iron lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Dual pre-heated primary air
- ⊕ Dual-action handle latch

Pearl Freestanding 260

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 260m ² | Log Width 540mm | Flue Size 150mm |
| Efficiency 80%† | Emissions 0.9g/kg | Output 16kW‡ |

Ruby Freestanding 330

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 330m ² | Log Width 595mm | Flue Size 150mm |
| Efficiency 76%† | Emissions 1.3g/kg | Output 17kW‡ |



- ⊕ Sleek & modern design
- ⊕ 1200mm bench option
- ⊕ 3-Speed fan with thermostatic switch
- ⊕ Cast iron lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Dual pre-heated primary air
- ⊕ Dual-action handle latch

Pearl Modular 260

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 260m ² | Log Width 540mm | Flue Size 150mm |
| Efficiency 80%† | Emissions 0.9g/kg | Output 16kW‡ |

Ruby Modular 330

| | | |
|--------------------------------------|-----------------------------|---------------------------|
| | | |
| Capacity 330m ² | Log Width 595mm | Flue Size 150mm |
| Efficiency 76%† | Emissions 1.3g/kg | Output 17kW‡ |




Insert Discovery Series

Turn a draughty open fireplace into a highly efficient heat source! Designed with functionality, efficiency and durability in mind, the Discovery series inbuilt range will keep you warm through the coldest, darkest winters.






- ⊕ 3-Speed fan
- ⊕ Firebrick lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Zero clearance compatible




Opal 160

| | | |
|---|---|---|
|  |  |  |
| Capacity 160m ² | Log Width 490mm | Flue Size 150mm |
| Efficiency 72%† | Emissions 0.9g/kg | Output 14kW‡ |

Stockade 240

| | | |
|---|---|---|
|  |  |  |
| Capacity 240m ² | Log Width 545mm | Flue Size 150mm |
| Efficiency 67%† | Emissions 1.5g/kg | Output 17kW‡ |

Garnet 280

| | | |
|---|---|---|
|  |  |  |
| Capacity 280m ² | Log Width 620mm | Flue Size 175mm |
| Efficiency 65%† | Emissions 1.4g/kg | Output 21kW‡ |





Eureka



Insert Selection Series

The apex of Australian wood heating! This visually striking series offers the very best of Eureka design, functionality and endeavour. Their narrow fascia's allow the heater to sit neatly within your wall or fireplace. Take comfort as the warmth is generously distributed throughout your home.



- ⊕ Sleek & modern design
- ⊕ 3-Speed fan with thermostatic switch
- ⊕ Cast iron lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Dual pre-heated primary air
- ⊕ Dual-action handle latch
- ⊕ Zero Clearance Option features "flush-fit fascia (3mm)"



Pearl 240



Capacity
240m²



Log Width
540mm



Flue Size
150mm

Efficiency
74%†

Emissions
1.0g/kg

Output
12kW‡

Ruby 300



Capacity
300m²



Log Width
595mm



Flue Size
150mm

Efficiency
68%†

Emissions
1.4g/kg

Output
15kW‡





The perfect
work-life balance



Double Sided Range

These heaters truly provide a heart for any home. Whether you're looking for a powerful heating source, a luxurious centrepiece, or the flamed vitality of a wood burning heater — this range gives incredible flexibility and warmth in multiple rooms (capable of heating up to 420m²).

For further double sided range installation options, such as dual room functionality, speak to your local dealer, or download the Double Sided Reference guide at www.eurekaheating.com.au



Jewel 420 (Freestanding)

- ⊕ 2x 3-speed fans with thermostatic switch
- ⊕ Cast iron lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Dual-action handle latch
- ⊕ Dual pre-heated primary air
- ⊕ Through-wall options available

| Capacity | Log Width | Flue Size |
|-------------------|-----------|-----------|
| 420m ² | 530mm | 175mm |
| Efficiency | Emissions | Output |
| 62%† | 1.2g/kg | 25+kW‡ |



Jewel 420 (Modular)

- ⊕ 2x 3-speed fans with thermostatic switch
- ⊕ Cast iron lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Dual-action handle latch
- ⊕ Dual pre-heated primary air
- ⊕ 1200mm bench option

| Capacity | Log Width | Flue Size |
|-------------------|-----------|-----------|
| 420m ² | 530mm | 175mm |
| Efficiency | Emissions | Output |
| 62%† | 1.2g/kg | 25+kW‡ |



Jewel 400 (Insert)

- ⊕ 2x 3-speed fans with thermostatic switch
- ⊕ Cast iron lined
- ⊕ 8mm steel baffle plate
- ⊕ 10 Year firebox warranty
- ⊕ Dual-action handle latch
- ⊕ Dual pre-heated primary air
- ⊕ Masonry installation only

| Capacity | Log Width | Flue Size |
|-------------------|-----------|-----------|
| 400m ² | 530mm | 175mm |
| Efficiency | Emissions | Output |
| 62%† | 1.2g/kg | 25+kW‡ |

From our family to yours...

After WWII and seeking new opportunities, Frank Gason, his wife Jean and their young family moved from Geelong to Ararat, Victoria and started AF Gason Pty Ltd. For over three quarters of a century since, continuous generations of the Gason family have been living and working in this Rural City, with their presence remaining strongly felt in the community to this day. Of course, as the Company grew and became one of the largest regional employers in the area, the Gason name has become recognised not only locally but also nationally and internationally.

With core values of honesty, respect and openness, the family have endeavoured to ensure that the wellbeing of their staff, their families and the community in which they live and work is paramount. Whenever practically possible, the importance of achieving a positive work/life balance is considered in the daily operations of the Company – in fact one of the business's operational rules is to value family life within the community! From supporting local churches, schools, sport clubs and community groups through finance, advice, leadership, and participation, the Gason family have certainly settled and, are committed to this great part of country Victoria.

A family and business that have always strived to ensure the sustainability of employment through good times and bad whilst demonstrating integrity, ethical conduct, honesty and fairness in all their business dealings, the Gason family desire to provide employees with challenges, opportunities, and personal satisfaction whilst recognising their value and contribution.


From the humble beginnings of the motor trimming business in January 1946, many members of the Gason clan have worked permanently or on a part-time basis in the business. At the time of publication, 5 members of the family, spanning 4 generations, fulfil prominent roles with the manufacturer:

- Les Gason** *Chairman of the Board of Directors*
- Greg Gason** *Agricultural Division Manager Director*
- Wayne Gason** *Managing Director*
- Morgan Gason** *Heater Division Manager*
- Riley Gason** *Industrial Services Engineer*


Highly capable in their own specific fields, with over 150 years of experience shared between them, the Gason family members are proud of the business's heritage and are committed to continue conceptualising, designing, manufacturing and assembling high quality wood heaters tailored for the Australian market – timeless products that are designed for living and made for generations.



Frank Gason founded




Gason Tractor Cabin Assembly line, circa 1950s



Zero Clearance Installation

Don't have a brick chimney, but love the sleek look of a Eureka Insert? All of the Eureka Inserts (exc. double sided range) are Zero Clearance Install compatible using the relevant Eureka Zero Clearance Cabinet. This allows for a broader range of ways to incorporate a Eureka Insert heater into your living space.

Step 1



Step 2



Step 3



Minimum Zero Clearance Framing Dimensions

| Model | H | W | D |
|----------------|------|------|-----|
| Opal, Stockade | 810 | 916 | 565 |
| Garnet | 868 | 1035 | 570 |
| Pearl | 1000 | 915 | 635 |
| Ruby | 1000 | 1055 | 610 |

Specifications detail minimum framework opening (inclusive of clearance from Zero Box to combustible framework)

A Zero Clearance Cabinet allows for safe installation into timber framework with minimal clearances to the unit. Once your framework is built, it is as simple as cladding the front face with a cement sheet or equivalent, and your Eureka Insert heater is safely installed as a focal point to your room.


Minimum framing dimensions are an indicative guide only. **DO NOT** begin any construction prior to consulting the full Zero Clearance Installation guide for the relevant unit. Full Installation instructions available at www.eurekaheating.com.au

Elevated Insert Installations

Raising your Eureka Insert installation above floor level? You may be able to reduce your minimum hearth depth to 300mm. Refer to the following table as a guide on how high your unit must be raised to achieve the reduced hearth depth.



| | REF | OPAL | | STOCKADE | | GARNET | | PEARL | | RUBY | |
|---------------|-----|--------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|---------------|--------------|
| Hearth width | X | 890mm (min.) | | 950mm (min.) | | 1035mm (min.) | | 945mm (min.) | | 1000mm (min.) | |
| Hearth raised | Y | 0mm | 155mm (min.) | 0mm | 132mm (min.) | 0mm | 197mm (min.) | 0mm | 175mm (min.) | 0mm | 140mm (min.) |




Freestanding Specifications

ALL HEATERS ARE METALLIC BLACK AS STANDARD

| Dimensions & clearances | Flue type | Overall dimensions width/height/depth | | | Back of Woodheater to Flue Centre | Clearance to Combustibles | | | Minimum hearth size width/depth/thickness | | | |
|-------------------------|------------------|---------------------------------------|------|-----|-----------------------------------|---------------------------|------|-------------|---|----------|----|-----|
| | | W | H | D | | mm | Rear | Side | Corner | W | D | T |
| Jade | Perforated | 585 | 680 | 434 | 173 | 225* | 725 | 425 / 350** | 780 | 930 | 18 | 500 |
| Jade | Half Shield | 585 | 680 | 434 | 173 | 225 | 725 | 450 / 350** | 780 | 930 | 18 | 500 |
| Amber | Perforated | 640 | 730 | 502 | 176 | 250* | 750 | 500 / 350** | 820 | 1060 | 24 | 550 |
| Amber | Half Shield | 640 | 730 | 502 | 176 | 300 | 825 | 475 / 300** | 820 | 1060 | 24 | 550 |
| Jasper | Perforated | 675 | 770 | 557 | 196 | 200* | 825 | 550 / 425** | 820 | 1140 | 30 | 600 |
| Jasper | Half Shield | 675 | 770 | 557 | 196 | 350 | 900 | 575 / 475** | 820 | 1140 | 30 | 600 |
| Opal | Perforated | 650 | 800 | 508 | 180 | 125* | 325 | 150* | 890 | 960 | 12 | 400 |
| Miner | Perforated | 710 | 937 | 570 | 180 | 150* | 400 | 175* | 950 | 1050 | 18 | 400 |
| Garnet | Perforated | 782 | 1008 | 570 | 180 | 150* | 450 | 200* | 1020 | 1100 | 20 | 450 |
| Onyx | Perforated | 775 | 795 | 595 | 165 | 100 | 330 | 50 | 1170 | 1020 | 4 | 300 |
| Solitaire | Perforated | 850 | 825 | 620 | 180 | 100* | 425 | 100* | 960 | 1075 | 6 | 450 |
| Nugget | Perforated | 610 | 710 | 650 | 175 | 50 | 550 | 170 | 770 | 910 | 9 | 300 |
| Pearl | Solid/Perforated | 690 | 765 | 548 | 205 | 155/50* | 325 | 50/75* | 945 | 1000/895 | 9 | 300 |
| Ruby | Solid/Perforated | 748 | 828 | 548 | 205 | 50* | 325 | 50* | 1000 | 895 | 9 | 300 |
| Jewel | Solid/Perforated | 695 | 765 | 745 | N/A | N/A | 330 | N/A | 940 | 1590 | 6 | 460 |

* Standard flue shield kit must be installed to achieve minimum rear wall clearance (included in woodheaters, excluding Jade, Amber and Jasper)

** Requires additional side wing heat shields to achieve minimum corner clearance (purchased separately)




Modular Specifications

ALL HEATERS ARE METALLIC BLACK AS STANDARD

| Dimensions & clearances | Flue type | Overall dimensions width/height/depth | | | Back of Woodheater to Flue Centre | Clearance to Combustibles | | | Minimum hearth size width/depth/thickness | | | |
|-------------------------|--------------|---------------------------------------|-----|-----|-----------------------------------|---------------------------|------|--------|---|----------|-----|-----|
| | | W | H | D | | mm | Rear | Side | Corner | W | D | T |
| Pearl | Sol. / Perf. | 690 | 635 | 548 | 205 | 155/50* | 325 | 50/75* | 945 | 1005/900 | 140 | 330 |
| Ruby | Sol. / Perf. | 748 | 676 | 548 | 205 | 50* | 325 | 50* | 1000 | 895 | 140 | 330 |
| Jewel | Sol. / Perf. | 695 | 653 | 745 | N/A | N/A | 475 | N/A | 940 | 1890 | 32 | 570 |
| Pearl w/ Bench | Sol. / Perf. | 690 | 635 | 548 | 205 | 155/50* | 325 | 50/75* | 945 | 1005/900 | 9 | 330 |
| Ruby w/ Bench | Sol. / Perf. | 748 | 676 | 548 | 205 | 50* | 325 | 50* | 1000 | 895 | 9 | 330 |
| Jewel w/ Bench | Sol. / Perf. | 695 | 653 | 745 | N/A | N/A | 475 | N/A | 940 | 1375 | 6 | 330 |
| Pearl/Ruby Bench | - | 1200 | 280 | 550 | - | - | - | - | - | - | - | - |
| Jewel Bench | - | 1200 | 280 | 775 | - | - | - | - | - | - | - | - |

* Standard flue shield kit must be installed to achieve rear wall clearance (included in woodheater)



Insert Specifications

ALL HEATERS ARE METALLIC BLACK AS STANDARD

| Dimensions & clearances | Overall dimensions width/height/depth | | | Rear casing dimensions | | | Clearance to combustibles — from base of appliance | | | Minimum hearth size | | | Back of fascia to flue centre | |
|-------------------------|---------------------------------------|-----|--------------|---------------------------|-----|-----|--|-----------------|-----------------|----------------------|-------|-------------|-------------------------------|-----|
| | | | | | | | | | | Masonry installation | | ZCC install | | |
| Insert Models | W | H | Fascia Depth | W | H | D | Side | To Mantle Shelf | To Breast Plate | W | D | T | mm in front of ZCB*** | mm |
| Opal | 882 | 750 | 42 | 570 | 595 | 365 | 50 | 1100 | 1040 | 890 | 530* | 12 | 570* | 232 |
| Stockade | 922 | 758 | 42 | 631 | 635 | 430 | 50 | 1390 | 1340 | 950 | 510* | 12 | 550* | 296 |
| Garnet | 994 | 828 | 42 | 700 | 706 | 430 | 50 | 1545 | 1545 | 1035 | 610* | 18 | 650* | 295 |
| Pearl Masonry | 855 | 640 | 16 | 751 | 595 | 484 | 55 | 1500** | 1410 | 945 | 550* | 18 | 550* | 326 |
| Pearl ZC | 850 | 674 | 3 | Refer to ZC Install Guide | | | 55 | 1500** | 1410 | 945 | N/A | 18 | 550* | N/A |
| Ruby Masonry | 935 | 705 | 16 | 808 | 651 | 484 | 35 | 1500** | 1410 | 1000 | 520* | 18 | 520* | 326 |
| Ruby ZC | 930 | 736 | 3 | Refer to ZC Install Guide | | | 35 | 1500** | 1410 | 1000 | N/A | 18 | 520* | N/A |
| Jewel | 875 | 692 | 16 | 751 | 644 | 708 | 205 | 1127 | 1127 | 940 | 1890* | 32 | 570* | 354 |

* Minimum hearth depth in front of unit can be reduced by raising the appliance above combustible materials (Consult your local dealer and/or page 22 of this brochure)

** Mantle deflector required to achieve mantle clearance (included with woodheater)

*** Hearth must also be installed beneath ZCC - refer to install guide for exact specifications

Notes: ‡ All KW Outputs quoted are Peak Power. † All Efficiencies quoted are Peak Efficiency %. All dimensions are in mm. Dimensions and clearances shown are for reference only. Refer to the Owner's Manual for exact specifications prior to installation.

All information in this brochure was correct at the time of printing, June 2022, however Eureka Woodheating reserves the right to change specifications without notice. Colours shown are as close as printing method allow. Installation should be carried out by a qualified installer.

All fireplace inserts must be installed into a masonry chimney or Eureka Zero Clearance Cabinet, and be fully flued.

Your local Eureka dealer



AF Gason Pty Ltd
 Phone: 03 9763 2700
 Fax: 03 9763 0836
 heating@gason.com.au

www.eurekaheating.com.au